

We Claim:

1. A cable reel, comprising:

a base plate;

a reel body rotatably mounted with respect to said base plate;

a braking coulisse moveable in a radial direction with respect to said base plate; and

elastic elements for mounting at least one of said base plate and said reel body in a receiving body.

2. The cable reel according to claim 1, wherein said elastic elements are disposed between said braking coulisse and said receiving body.

3. The cable reel according to claim 1, wherein said elastic elements are disposed between said base plate and said receiving body.

4. The cable reel according to claim 1, wherein said cable reel is mounted in said receiving body as a whole by said elastic elements.

5. The cable reel according to claim 1, wherein said receiving body is a vacuum cleaner.

6. A vacuum cleaner cable reel, comprising:

a base plate;

a reel body rotatably mounted with respect to said base plate;

a braking coulisse moveable in a radial direction with respect to said base plate; and

elastic elements for mounting at least one of said base plate and said reel body in a vacuum cleaner.

7. The cable reel according to claim 6, wherein said elastic elements are disposed between said braking coulisse and said vacuum cleaner.

8. The cable reel according to claim 6, wherein said elastic elements are disposed between said base plate and said vacuum cleaner.

9. The cable reel according to claim 6, wherein said cable reel is mounted in said vacuum cleaner as a whole by said elastic elements.

10. In a vacuum cleaner having a housing part, a cable reel, comprising:

a base plate defining an axis;

a reel body rotatably mounted to said base plate about said axis;

a braking coulisse operatively connected to said reel body for braking rotation of said reel body about said base plate, said braking coulisse moving in a radial direction with respect to said axis of said base plate to brake said reel body; and

elastic elements connected to at least one of said base plate and said reel body and mounting said at least one of said base plate and said reel body in the housing part of the vacuum cleaner.

11. The cable reel according to claim 10, wherein said elastic elements are disposed between said braking coulisse and said vacuum cleaner.

12. The cable reel according to claim 10, wherein said elastic elements are disposed between said base plate and said vacuum cleaner.

13. The cable reel according to claim 10, wherein said cable reel is mounted in said vacuum cleaner as a whole by said elastic elements.

14. A cable reel, comprising:

a base plate defining an axis;

a reel body rotatably mounted to said base plate about said axis;

a braking coulisse operatively connected to said reel body for braking rotation of said reel body about said base plate, said braking coulisse moving in a radial direction with respect to said axis of said base plate to brake said reel body; and

elastic elements connected to at least one of said base plate and said reel body for mounting said at least one of said base plate and said reel body in a receiving body.